




Permanent Cloud under this catwalk with 6 S4 Pars that can be addressed with two unique circuits (L and R)


30

Masking Drape





Masking Drape



30




HL Side-1





House Light	111	171
House Light	110	171
House Light	109	171
House Light	108	171
House Light	107	171
House Light	106	171
House Light	105	171
House Light	104	171
House Light	103	171
House Light	102	171
House Light	101	171
House Lt Front Row	100	172
House Light Front Row	99	172
House Light	98	171
House Light	97	171

House Lights


- Edi
- Pin
- 2 Edi
- 2 Pin






son FM to Pin M 7  
 FM to Edison M 12  
 Edison Twofer 1  
 Twofer 19

- Followspot Colors:
1. Frost R119
  2. Pink R34
  3. Lavendar R51 double
  4. Light Blue R362 Tipton Blue
  5. Red R25



Overhead Drum



4 Pack Dimmer  
Address: 375-378  
Universe 1  
20A circuit needed

4 Pack Dimmer  
Address: 371-374  
Universe 1  
20A circuit needed


2nd Electric-2



4 Pack Dimmer  
Address: 363-366  
Universe 1  
20A circuit needed

4 Pack Dimmer  
Address: 359-362  
Universe 1  
20A circuit needed

1st Electric



Side light was moved toward center because line array speaker was in the way of the beams





Front Beam-1  
4 Pack Dimmer  
Address: 367-370  
Universe 1  
20A circuit needed

4 Pack Dimmer  
Address: 115-118  
Universe 1  
20A circuit needed



Rear Beam-3

















**KEY**

- Conventional Lighting Inst by Fette
- Conventional Lighting Inst Stolaf Legacy
- Intelligent fixture on DMX Universe 1.
- Conventional Light is circuited to a 4-Ch Dimmer Pack
- Intelligent fixture on DMX Universe 2. Patch using "2/circuit Number" in control system
- Color Purpose
- Pattern
- Unit Number
- Universe (if other than "1")
- Circuit Number
- Channel

Rock N Roll Revival 2  
Northfield Middle Sch  
Light Plot  
2/17/22 Scale: 1  
B. Bjorklund Revision

FollowspotBooth

Light

	Altman 65Q 6in Fresnel @ 750w	20	
	Altman 360Q 4.5 x 6 @ 750w	2	Stolaf Legacy
	Altman 360Q 6x9 @ 750w	2	Stolaf Legacy
	Altman 360Q 6x12 @ 750w	2	Stolaf Legacy
	NSI Colortran Zoom Ellipse 15deg-35deg @ 1kw	2	
	SixBar 500 @ 93w	7	Fette Productions
	ETC Source4 26deg @ 575w	0	
	ETC Source4 36deg @ 575w	4	Fette Productions
	ETC Source4 Zoom 15-30deg @ 575w	3	Fette Productions
	ETC Source4 Zoom 25-50deg @ 575w	3	Fette Productions
	Lycian Midget Follow Spot @ 1kw	2	
	Strand SL19 @ 575w	7	
	Strand SL26 @ 575w	14	
	Strand SL36 @ 575w	27	
	Strand SL50 @ 575w	8	
	USITT PAR56-MFL	15	House Lights











Moving Light

	Elation Artiste DaVinci @ 470 w	10	Fette Productions
	Light Instr Elation Rayzor Q12 STD @ 240w	11	Fette Productions
	Elation Rayzor Q12 Zoom @ 200w	9	Fette Productions

ic-2

Typical

Color Summary

	Color	Size	Count
	L147	6.25"	3
	L161	7.5"	2
	L161	6.25"	2
	L161	7.5in	4
	NC	7.5"	9
	NC	6.25"	4
	NC	7.5in	1
	R13	7.5in	13
	R22	7.5in	2
	R22	6.25"	2
	R57	6.25"	18
	R119	6.25"	13
	R318	6.25"	18
	R360/R365	7.5"	3

PACKING LIST:  
 DMX Cable  
 Color Case  
 Gooseneck Lamps  
 Power Cord & Extension cable &  
 Power Strip  
 C-Wrench  
 Flashlight  
 Gerber Tool  
 Black Gaff  
 White Gaff  
 Patterns and Holders 13 & 4  
 Color Frames & Color  
 Lamps  
 Focus People  
 side arm bars & aircraft and cable  
 clamps  
 tape measures  
 Tool case  
 2 dimmer pack 4 ch Leviton

Source 4 PTN Holder 5

SL PTN Holder 3

Altman PTN Holder 6

Patterns- 14

022  
 ool Auditorium

1/4"=1'-0"  
 n: 3/18/22