

Channel Hookup

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

Channel	Cir#	Adr	Position	U#	Inst Type & Load	Purpose	Color	Gbo
(1)	170b		2nd AUX FOH	6	Source 4 26° 575w	A	 R53/R119	
(2)	146b		2nd AUX FOH	4	Source 4 26° 575w	B	 R53/R119	
(3)	142		2nd AUX FOH	2	Source 4 26° 575w	C	 R53/R119	
(4)	127		1ST ELECTRIC	4	Source 4 26° 575w	D	 R53/R119	
(5)	176		1ST AUX FOH	16	Source 4 26° 575w	E	 R53/R119	
(6)	148		1ST AUX FOH	12	Source 4 36° 575w	F	 R53/R119	
(7)	132b		1ST AUX FOH	8	Source 4 36° 575w	G	 R53/R119	
(8)	120a		1ST AUX FOH	3	Source 4 36° 575w	H	 R53/R119	
(9)	178		1ST AUX FOH	15	Source 4 36° 575w	I	 R53/R119	
(10)	158		1ST AUX FOH	11	Source 4 26° 575w	J	 R53/R119	
(11)	119		1ST AUX FOH	7	Source 4 26° 575w	K	 R53/R119	
(12)	270		SR SIDE ELECTRIC	20	Source 4 36° 575w	L	 R53/R119	
(13)	209		SR SIDE ELECTRIC	14	Source 4 36° 575w	M	 R53/R119	
(14)	219		SR SIDE ELECTRIC	9	Source 4 36° 575w	N	 R53/R119	
(15)	215		SR SIDE ELECTRIC	3	Source 4 36° 575w	O	 R53/R119	
(16)	211		SR SIDE ELECTRIC	6	Source 4 36° 575w	P	 R53/R119	
(17)	175		1ST AUX FOH	17	Source 4 36° 575w	Q	 R53/R119	
(18)	180		3RD ELECTRIC	5	Source 4 36° 575w	R	 R53/R119	
(19)	154		2ND ELECTRIC	3	Source 4 36° 575w	S1	 R53/R119	
(20)	151		2ND ELECTRIC	5	Source 4 36° 575w	S2	 R53/R119	
(21)	184		2nd AUX FOH	7	Source 4 36° 575w	S3	 R53/R119	
(22)	188		2nd AUX FOH	5	Source 4 36° 575w	S4	 R53/R119	
(23)	144b		2nd AUX FOH	3	Source 4 36° 575w	S5	 R53/R119	
(24)	126a		2nd AUX FOH	1	Source 4 36° 575w	S6	 R53/R119	
(51)	395		1ST AUX FOH		Rosco DMX Iris			
	390		"	14	i-Cue			
	177		"	"	SL19 575w	SPEC	 R53/R119	
(52)	312		1ST AUX FOH		Rosco DMX Iris			
	400		"	6	i-Cue			
	118a		"	"	SL19 575w	SPEC	 R53/R119	

Channel Hookup

A Streetcar Named Desire

Channel	Cir#	Adr	Position	U#	Inst Type & Load	Purpose	Color	Gbo
(53)		320	SR SIDE ELECTRIC		Rosco DMX Iris			
		315	"	12	i-Cue			
		222	"	"	SL26 575w	SPEC	 R53/R119	
(101)	206		SR SIDE ELECTRIC	18	Source 4 PARNel 575w	A		
		301	"	"	Forerunner 7			
(102)	208		SR SIDE ELECTRIC	15	Source 4 PARNel 575w	B		
		311	"	"	Forerunner 7			
(103)	221		SR SIDE ELECTRIC	11	Source 4 PARNel 575w	C		
		304	"	"	Forerunner 7			
(104)	212		SR SIDE ELECTRIC	5	Source 4 PARNel 575w	D		
		306	"	"	Forerunner 7			
(105)	205		SR SIDE ELECTRIC	19	Source 4 PARNel 575w	E		
		300	"	"	Forerunner 7			
(106)	210		SR SIDE ELECTRIC	13	Source 4 PARNel 575w	F		
		303	"	"	Forerunner 7			
(107)	220		SR SIDE ELECTRIC	10	Source 4 PARNel 575w	G		
		305	"	"	Forerunner 7			
(108)	214		SR SIDE ELECTRIC	4	Source 4 PARNel 575w	H		
		307	"	"	Forerunner 7			
(109)	296		MEZZ RAIL BOTTOM PIPE	16	Source 4 PARNel 575w	I		
		308	"	"	Forerunner 7			
(110)	425		MEZZ RAIL BOTTOM PIPE	12	Source 4 PARNel 575w	J		
		309	"	"	Forerunner 7			
(111)	254		MEZZ RAIL BOTTOM PIPE	7	Source 4 PARNel 575w	K		
		310	"	"	Forerunner 7			
(112)	261		MEZZ RAIL BOTTOM PIPE	17	Source 4 50° 575w	L	 R365/R119	
(113)	423		MEZZ RAIL BOTTOM PIPE	11	Source 4 50° 575w	M	 R365/R119	
(114)	421		MEZZ RAIL BOTTOM PIPE	6	Source 4 50° 575w	N	 R365/R119	
(115)	255		MEZZ RAIL BOTTOM PIPE	2	Source 4 50° 575w	O	 R365/R119	
(116)	252		MEZZ RAIL BOTTOM PIPE	1	Source 4 50° 575w	P	 R365/R119	
(117)	14		2ND LANDING BOTTOM PIPE	2	Source 4 50° 575w	Q	 R365	
(118)	15		2ND LANDING BOTTOM PIPE	3	Source 4 PARNel 575w	R	 R365	

Channel Hookup

A Streetcar Named Desire

Channel	Cir#	Adr	Position	U#	Inst Type & Load	Purpose	Color	Gbo
(121)	171b		1ST AUX FOH	18	Source 4 PARNel 575w	S3	 R378	
(122)	156b		1ST AUX FOH	13	Source 4 PARNel 575w	S4	 R378	
(123)	117		1ST AUX FOH	9	Source 4 PARNel 575w	S5	 R378	
(124)	134b		1ST AUX FOH	4	Source 4 PARNel 575w	S6	 R378	
(201)	260		MEZZ RAIL BOTTOM PIPE	19	65Q 6" Fres 750w	BACK	 R378	
(202)	295		MEZZ RAIL BOTTOM PIPE	15	65Q 6" Fres 750w	BACK	 R378	
(203)	424		MEZZ RAIL BOTTOM PIPE	10	65Q 6" Fres 750w	BACK	 R378	
(204)	253		MEZZ RAIL BOTTOM PIPE	5	65Q 6" Fres 750w	BACK	 R378	
(205)	259		MEZZ RAIL BOTTOM PIPE	18	65Q 6" Fres 750w	BACK	 R378	
(206)	294		MEZZ RAIL BOTTOM PIPE	14	65Q 6" Fres 750w	BACK	 R378	
(207)	422		MEZZ RAIL BOTTOM PIPE	9	65Q 6" Fres 750w	BACK	 R378	
(208)	251		MEZZ RAIL BOTTOM PIPE	4	65Q 6" Fres 750w	BACK	 R378	
(301)	166		3RD ELECTRIC	8	SL36 575w	Z1 NEAR	 R362/R119	
(302)	169a		3RD ELECTRIC	7	SL26 575w	Z1 FAR	 R362/R119	
(303)	269		SR SIDE ELECTRIC	21	SL36 575w	Z2 NEAR	 R362/R119	
(304)	207		SR SIDE ELECTRIC	16	SL36 575w	Z2 FAR	 R362/R119	
(305)	262		MEZZ RAIL BOTTOM PIPE	20	SL36 575w	Z3 NEAR	 R362/R119	
(306)	292		MEZZ RAIL BOTTOM PIPE	13	SL36 575w	Z3 FAR	 R362/R119	
(401)	116a		1ST ELECTRIC	7	SL26 575w	Z1 FAR	 R318/R119	
(402)	115		1ST ELECTRIC	8	SL36 575w	Z1 NEAR	 R318/R119	
(403)	218		SR SIDE ELECTRIC	8	SL36 575w	Z2 FAR	 R318/R119	
(404)	216		SR SIDE ELECTRIC	1	SL36 575w	Z2 NEAR	 R318/R119	
(405)	291		MEZZ RAIL BOTTOM PIPE	8	SL36 575w	Z3 FAR	 R318/R119	
(406)	250		MEZZ RAIL BOTTOM PIPE	3	SL36 575w	Z3 NEAR	 R318/R119	
(501)	30		PRO PIPE SR	2	SL50 575w	Z1/2 FAR	 R361	T1
(502)	2		PRO PIPE SR	4	SL36 575w	Z1/2 NEAR	 R361	T1
(503)	29		PRO PIPE SR	3	SL50 575w	Z 2/3 FAR	 R361	T1
(504)	1		PRO PIPE SR	5	SL36 575w	Z2/3 NEAR	 R361	T1

Channel Hookup

A Streetcar Named Desire

Channel	Cir#	Adr	Position	U#	Inst Type & Load	Purpose	Color	Gbo
(511)	18		2ND LANDING BOTTOM PIPE	6	SL26 575w	STREET FAR	 R362/R119	
(512)	16		2ND LANDING BOTTOM PIPE	4	SL36 575w	STREET NEAR	 R362/R119	
(513)	147		1ST AUX FOH	10	SL36 575w	STREET FAR	 R362/R119	
(514)	136b		1ST AUX FOH	2	SL36 575w	STREET MID	 R362/R119	
(515)	122a		1ST AUX FOH	1	SL50 575w	STREET NEAR	 R362/R119	
(601)	385		FLY RAIL BOOM	1	SL50 575w	SHIN	 R23/R119	
(611)	386		FLY RAIL BOOM	2	SL50 575w	HEAD	 R81/R119	
(701)	375		FLY RAIL UNDERMOUNT	3	Etc Source 4 LEDLS 50° 117w	WINDOW	 R119	
(702)	360		FLY RAIL UNDERMOUNT	2	Etc Source 4 LEDLS 50° 117w	WINDOW	 R119	
(703)	345		FLY RAIL UNDERMOUNT	1	Etc Source 4 LEDLS 50° 117w	WINDOW	 R119	
(704)	330		SR SIDE ELECTRIC	2	Etc Source 4 LEDLS 26° 117w	WINDOW	 R119	
(711)	17		2ND LANDING BOTTOM PIPE	5	SL26 575w	DOOR	 N/C	
(712)	13		2ND LANDING BOTTOM PIPE	1	SL26 575w	ENTRY	 R119	
(713)	2		PRO PIPE SR	1	SL50 575w	DOOR	 N/C	
(721)	185		2nd AUX FOH	8	Source 4 26° 575w	STAIR	 R53/R119	
(722)	263		MEZZ RAIL BOTTOM PIPE	21	SL36 575w	DOOR/ENTRY	 R362/R119	
(731)	410		3RD ELECTRIC		SeaChanger 180w			
	172		"	6	Source 4 50° 575w	L2 WALL	 R119	T2
(732)	415		1ST ELECTRIC		SeaChanger 180w			T2
	121		"	6	Source 4 50° 575w	L2 WALL	 R119	"
(741)	264		STAIR	1	Source 4 36° 575w	STAIR	 R362/R119	
(751)			STEEL RACK	1	Source 4 50° 575w	STREET	 R305	
(801)	265		SR SIDE ELECTRIC	17	Bare Bulb 40w	BULB	 N/C	
(802)	217		SR SIDE ELECTRIC	7	Bare Bulb 40w	BULB	 N/C	
(811)			FLOOR	2	Fridge 40w	FRIDGE	 N/C	

Channel Hookup

A Streetcar Named Desire

Channel	Cir#	Adr	Position	U#	Inst Type & Load	Purpose	Color	Gbo
(821)			FLOOR	1	FAN 60w	FAN	 N/C	
(901)	21		FLOOR	3	Ground Cyc Right 1kW	RED	 R124	
	"		"	6	Ground Cyc Center 1kW	"	"	
(902)	24		FLOOR	9	Ground Cyc Right 1kW	RED	 R124	
	"		"	12	Ground Cyc Center 1kW	"	"	
(903)	11		FLOOR	15	Ground Cyc Right 1kW	RED	 R124	
	"		"	18	Ground Cyc Center 1kW	"	"	
(904)	8		FLOOR	21	Ground Cyc Right 1kW	RED	 R124	
	"		"	24	Ground Cyc Center 1kW	"	"	
(905)	5		FLOOR	27	Ground Cyc Right 1kW	RED	 R124	
	"		"	30	Ground Cyc Center 1kW	"	"	
(911)	20		FLOOR	4	Ground Cyc Center 1kW	AMBER	 R127	
	"		"	7	"	"	"	
(912)	23		FLOOR	10	Ground Cyc Center 1kW	AMBER	 R127	
	"		"	13	"	"	"	
(913)	10		FLOOR	16	Ground Cyc Center 1kW	AMBER	 R127	
	"		"	19	"	"	"	
(914)	7		FLOOR	22	Ground Cyc Center 1kW	AMBER	 R127	
	"		"	25	"	"	"	
(915)	4		FLOOR	28	Ground Cyc Center 1kW	AMBER	 R127	
	"		"	31	"	"	"	
(921)	19		FLOOR	5	Ground Cyc Center 1kW	BLUE	 R125	
	"		"	8	Ground Cyc Left 1kW	"	"	
(922)	22		FLOOR	11	Ground Cyc Center 1kW	BLUE	 R125	
	"		"	14	Ground Cyc Left 1kW	"	"	

Channel Hookup

A Streetcar Named Desire

Channel	Cir#	Adr	Position	U#	Inst Type & Load	Purpose	Color	Gbo
(923)	9		FLOOR	17	Ground Cyc Center 1kW	BLUE	 R125	
	"		"	20	Ground Cyc Left 1kW	"	"	
(924)	6		FLOOR	23	Ground Cyc Center 1kW	BLUE	 R125	
	"		"	26	Ground Cyc Left 1kW	"	"	
(925)	3		FLOOR	29	Ground Cyc Center 1kW	BLUE	 R125	
	"		"	32	Ground Cyc Left 1kW	"	"	
(1000)	69		APRON PIPE	1	65Q 6" Fres 750w	HOUSE	 N/C	
	72		"	2	"	"	"	
	78		"	3	"	"	"	
	113		"	4	"	"	"	
(1001)	196		3RD ELECTRIC	1	65Q 6" Fres 750w	HOUSE	 N/C	
	190a		"	2	"	"	"	
	159		2ND ELECTRIC	1	"	"	"	
	157		"	2	"	"	"	
	140a		1ST ELECTRIC	1	"	"	"	
	133		"	2	"	"	"	
(1002)	186		3RD ELECTRIC	3	65Q 6" Fres 750w	HOUSE	 N/C	
	152a		2ND ELECTRIC	4	"	"	"	
	128a		1ST ELECTRIC	3	"	"	"	
(1003)			3RD ELECTRIC	4	65Q 6" Fres 750w	HOUSE	 N/C	
	150a		2ND ELECTRIC	6	"	"	"	
	124a		1ST ELECTRIC	5	"	"	"	
(1004)	28		SR SIDE STAGE	1	65Q 6" Fres 750w	HOUSE	 N/C	
(1005)	79		SL SIDE STAGE	1	65Q 6" Fres 750w	HOUSE	 N/C	

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

TABLE OF CONTENTS

3RD ELECTRIC	1	MEZZ RAIL BOTTOM PIPE	7
2ND ELECTRIC	1	FLY RAIL UNDERMOUNT	8
1ST ELECTRIC	2	PRO PIPE SR	8
APRON PIPE	2	FLOOR	9
SR SIDE ELECTRIC	3	FLY RAIL BOOM	10
1ST AUX FOH	5	SR SIDE STAGE	10
2nd AUX FOH	6	SL SIDE STAGE	10
2ND LANDING BOTTOM PIPE	6	STAIR	10
		STEEL RACK	10

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

3RD ELECTRIC

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
	SeaChanger		180w			(731)	
1	65Q 6" Fres	HOUSE	750w	 N/C		(1001)	)
2	65Q 6" Fres	HOUSE	750w	 N/C		(1001)	)
3	65Q 6" Fres	HOUSE	750w	 N/C		(1002)	)
4	65Q 6" Fres	HOUSE	750w	 N/C		(1003)	)
5	Source 4 36°	R	575w	 R53/R119		(18)	
6	Source 4 50°	L2 WALL	575w	 R119	T2	(731)	
7	SL26	Z1 FAR	575w	 R362/R119		(302)	
8	SL36	Z1 NEAR	575w	 R362/R119		(301)	

2ND ELECTRIC

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	65Q 6" Fres	HOUSE	750w	 N/C		(1001)	)
2	65Q 6" Fres	HOUSE	750w	 N/C		(1001)	)
3	Source 4 36°	S1	575w	 R53/R119		(19)	
4	65Q 6" Fres	HOUSE	750w	 N/C		(1002)	)
5	Source 4 36°	S2	575w	 R53/R119		(20)	
6	65Q 6" Fres	HOUSE	750w	 N/C		(1003)	)

A Streetcar Named Desire

1ST ELECTRIC

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
	SeaChanger		180w		T2	(732)	
1	65Q 6" Fres	HOUSE	750w	 N/C		(1001)	
2	65Q 6" Fres	HOUSE	750w	 N/C		(1001)	
3	65Q 6" Fres	HOUSE	750w	 N/C		(1002)	
4	Source 4 26°	D	575w	 R53/R119		(4)	
5	65Q 6" Fres	HOUSE	750w	 N/C		(1003)	
6	Source 4 50°	L2 WALL	575w	 R119	T2	(732)	
7	SL26	Z1 FAR	575w	 R318/R119		(401)	
8	SL36	Z1 NEAR	575w	 R318/R119		(402)	

APRON PIPE

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	65Q 6" Fres	HOUSE	750w	 N/C		(1000)	
2	65Q 6" Fres	HOUSE	750w	 N/C		(1000)	
3	65Q 6" Fres	HOUSE	750w	 N/C		(1000)	
4	65Q 6" Fres	HOUSE	750w	 N/C		(1000)	

A Streetcar Named Desire

SR SIDE ELECTRIC

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
	Rosco DMX Iris					(53)	
1	SL36	Z2 NEAR	575w	 R318/R119		(404)	
2	Etc Source 4 LEDLS 26°	WINDOW	117w	 R119		(704)	
3	Source 4 36°	O	575w	 R53/R119		(15)	
4	Source 4 PARNel	H	575w			(108)	
4	Forerunner 7					(108)	
5	Source 4 PARNel	D	575w			(104)	
5	Forerunner 7					(104)	
6	Source 4 36°	P	575w	 R53/R119		(16)	
7	Bare Bulb	BULB	40w	 N/C		(802)	
8	SL36	Z2 FAR	575w	 R318/R119		(403)	
9	Source 4 36°	N	575w	 R53/R119		(14)	
10	Source 4 PARNel	G	575w			(107)	
10	Forerunner 7					(107)	
11	Source 4 PARNel	C	575w			(103)	
11	Forerunner 7					(103)	
12	i-Cue					(53)	
12	SL26	SPEC	575w	 R53/R119		(53)	
13	Source 4 PARNel	F	575w			(106)	
13	Forerunner 7					(106)	
14	Source 4 36°	M	575w	 R53/R119		(13)	
15	Source 4 PARNel	B	575w			(102)	
15	Forerunner 7					(102)	
16	SL36	Z2 FAR	575w	 R362/R119		(304)	
17	Bare Bulb	BULB	40w	 N/C		(801)	
18	Source 4 PARNel	A	575w			(101)	
18	Forerunner 7					(101)	

A Streetcar Named Desire

SR SIDE ELECTRIC

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
19	Source 4 PARNel	E	575w				(105)
19	Forerunner 7						(105)
20	Source 4 36°	L	575w	 R53/R119			(12)
21	SL36	Z2 NEAR	575w	 R362/R119			(303)

A Streetcar Named Desire

1ST AUX FOH

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
	Rosco DMX Iris						(52)
	Rosco DMX Iris						(51)
1	SL50	STREET NEAR	575w	 R362/R119			(515)
2	SL36	STREET MID	575w	 R362/R119			(514)
3	Source 4 36°	H	575w	 R53/R119			(8)
4	Source 4 PARNel	S6	575w	 R378			(124)
6	i-Cue						(52)
6	SL19	SPEC	575w	 R53/R119			(52)
7	Source 4 26°	K	575w	 R53/R119			(11)
8	Source 4 36°	G	575w	 R53/R119			(7)
9	Source 4 PARNel	S5	575w	 R378			(123)
10	SL36	STREET FAR	575w	 R362/R119			(513)
11	Source 4 26°	J	575w	 R53/R119			(10)
12	Source 4 36°	F	575w	 R53/R119			(6)
13	Source 4 PARNel	S4	575w	 R378			(122)
14	i-Cue						(51)
14	SL19	SPEC	575w	 R53/R119			(51)
15	Source 4 36°	I	575w	 R53/R119			(9)
16	Source 4 26°	E	575w	 R53/R119			(5)
17	Source 4 36°	Q	575w	 R53/R119			(17)
18	Source 4 PARNel	S3	575w	 R378			(121)

A Streetcar Named Desire

2nd AUX FOH

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	Source 4 36°	S6	575w	 R53/R119		(24)	
2	Source 4 26°	C	575w	 R53/R119		(3)	
3	Source 4 36°	S5	575w	 R53/R119		(23)	
4	Source 4 26°	B	575w	 R53/R119		(2)	
5	Source 4 36°	S4	575w	 R53/R119		(22)	
6	Source 4 26°	A	575w	 R53/R119		(1)	
7	Source 4 36°	S3	575w	 R53/R119		(21)	
8	Source 4 26°	STAIR	575w	 R53/R119		(721)	

2ND LANDING BOTTOM PIPE

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	SL26	ENTRY	575w	 R119		(712)	
2	Source 4 50°	Q	575w	 R365		(117)	
3	Source 4 PARNel	R	575w	 R365		(118)	
4	SL36	STREET NEAR	575w	 R362/R119		(512)	
5	SL26	DOOR	575w	 N/C		(711)	
6	SL26	STREET FAR	575w	 R362/R119		(511)	

A Streetcar Named Desire

MEZZ RAIL BOTTOM PIPE

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	Source 4 50°	P	575w	 R365/R119		(116)	
2	Source 4 50°	O	575w	 R365/R119		(115)	
3	SL36	Z3 NEAR	575w	 R318/R119		(406)	
4	65Q 6" Fres	BACK	750w	 R378		(208)	
5	65Q 6" Fres	BACK	750w	 R378		(204)	
6	Source 4 50°	N	575w	 R365/R119		(114)	
7	Source 4 PARNel	K	575w			(111)	
7	Forerunner 7					(111)	
8	SL36	Z3 FAR	575w	 R318/R119		(405)	
9	65Q 6" Fres	BACK	750w	 R378		(207)	
10	65Q 6" Fres	BACK	750w	 R378		(203)	
11	Source 4 50°	M	575w	 R365/R119		(113)	
12	Source 4 PARNel	J	575w			(110)	
12	Forerunner 7					(110)	
13	SL36	Z3 FAR	575w	 R362/R119		(306)	
14	65Q 6" Fres	BACK	750w	 R378		(206)	
15	65Q 6" Fres	BACK	750w	 R378		(202)	
16	Source 4 PARNel	I	575w			(109)	
16	Forerunner 7					(109)	
17	Source 4 50°	L	575w	 R365/R119		(112)	
18	65Q 6" Fres	BACK	750w	 R378		(205)	
19	65Q 6" Fres	BACK	750w	 R378		(201)	
20	SL36	Z3 NEAR	575w	 R362/R119		(305)	
21	SL36	DOOR/ENTRY	575w	 R362/R119		(722)	

A Streetcar Named Desire

FLY RAIL UNDERMOUNT

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	Etc Source 4 LEDLS 50°	WINDOW	117w	 R119			(703)
2	Etc Source 4 LEDLS 50°	WINDOW	117w	 R119			(702)
3	Etc Source 4 LEDLS 50°	WINDOW	117w	 R119			(701)

PRO PIPE SR

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	SL50	DOOR	575w	 N/C			(713)
2	SL50	Z1/2 FAR	575w	 R361	T1		(501)
3	SL50	Z 2/3 FAR	575w	 R361	T1		(503)
4	SL36	Z1/2 NEAR	575w	 R361	T1		(502)
5	SL36	Z2/3 NEAR	575w	 R361	T1		(504)

A Streetcar Named Desire

FLOOR

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	FAN	FAN	60w	 N/C		(821)	
2	Fridge	FRIDGE	40w	 N/C		(811)	
3	Ground Cyc Right	RED	1kW	 R124		(901)	
4	Ground Cyc Center	AMBER	1kW	 R127		(911)	
5	Ground Cyc Center	BLUE	1kW	 R125		(921)	
6	Ground Cyc Center	RED	1kW	 R124		(901)	
7	Ground Cyc Center	AMBER	1kW	 R127		(911)	
8	Ground Cyc Left	BLUE	1kW	 R125		(921)	
9	Ground Cyc Right	RED	1kW	 R124		(902)	
10	Ground Cyc Center	AMBER	1kW	 R127		(912)	
11	Ground Cyc Center	BLUE	1kW	 R125		(922)	
12	Ground Cyc Center	RED	1kW	 R124		(902)	
13	Ground Cyc Center	AMBER	1kW	 R127		(912)	
14	Ground Cyc Left	BLUE	1kW	 R125		(922)	
15	Ground Cyc Right	RED	1kW	 R124		(903)	
16	Ground Cyc Center	AMBER	1kW	 R127		(913)	
17	Ground Cyc Center	BLUE	1kW	 R125		(923)	
18	Ground Cyc Center	RED	1kW	 R124		(903)	
19	Ground Cyc Center	AMBER	1kW	 R127		(913)	
20	Ground Cyc Left	BLUE	1kW	 R125		(923)	
21	Ground Cyc Right	RED	1kW	 R124		(904)	
22	Ground Cyc Center	AMBER	1kW	 R127		(914)	
23	Ground Cyc Center	BLUE	1kW	 R125		(924)	
24	Ground Cyc Center	RED	1kW	 R124		(904)	
25	Ground Cyc Center	AMBER	1kW	 R127		(914)	
26	Ground Cyc Left	BLUE	1kW	 R125		(924)	

Instrument Schedule

A Streetcar Named Desire

FLOOR

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
27	Ground Cyc Right	RED	1kW	 R124			(905)
28	Ground Cyc Center	AMBER	1kW	 R127			(915)
29	Ground Cyc Center	BLUE	1kW	 R125			(925)
30	Ground Cyc Center	RED	1kW	 R124			(905)
31	Ground Cyc Center	AMBER	1kW	 R127			(915)
32	Ground Cyc Left	BLUE	1kW	 R125			(925)

FLY RAIL BOOM

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	SL50	SHIN	575w	 R23/R119			(601)
2	SL50	HEAD	575w	 R81/R119			(611)

SR SIDE STAGE

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	65Q 6" Fres	HOUSE	750w	 N/C			(1004)

SL SIDE STAGE

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	65Q 6" Fres	HOUSE	750w	 N/C			(1005)

STAIR

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	Source 4 36°	STAIR	575w	 R362/R119			(741)

STEEL RACK

U#	Instrument Type	Purpose	Load	Color	Gbo	Chan	Dim
1	Source 4 50°	STREET	575w	 R305			(751)

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

TABLE OF CONTENTS

R362/R119	1	R127	8
R119	2	R125	9
N/C	3	R378	10
R365	4	R53/R119	11
R81/R119	5	R365/R119	12
R23/R119	6	R318/R119	13
R124	7	R361	14
		R305	15

Color Schedule

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R362/R119	3RD ELECTRIC	SL26	7	Z1 FAR		(302)
	3RD ELECTRIC	SL36	8	Z1 NEAR		(301)
	SR SIDE ELECTRIC	SL36	16	Z2 FAR		(304)
	SR SIDE ELECTRIC	SL36	21	Z2 NEAR		(303)
	1ST AUX FOH	SL50	1	STREET NEAR		(515)
	1ST AUX FOH	SL36	2	STREET MID		(514)
	1ST AUX FOH	SL36	10	STREET FAR		(513)
	2ND LANDING BOTTOM PIPE	SL36	4	STREET NEAR		(512)
	2ND LANDING BOTTOM PIPE	SL26	6	STREET FAR		(511)
	MEZZ RAIL BOTTOM PIPE	SL36	13	Z3 FAR		(306)
	MEZZ RAIL BOTTOM PIPE	SL36	20	Z3 NEAR		(305)
	MEZZ RAIL BOTTOM PIPE	SL36	21	DOOR/ ENTRY		(722)
	STAIR	Source 4 36°	1	STAIR		(741)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R119	3RD ELECTRIC	Source 4 50°	6	L2 WALL	T2	(731)
	1ST ELECTRIC	Source 4 50°	6	L2 WALL	T2	(732)
	SR SIDE ELECTRIC	Etc Source 4 LEDLS 26°	2	WINDOW		(704)
	2ND LANDING BOTTOM PIPE	SL26	1	ENTRY		(712)
	FLY RAIL UNDERMOUNT	Etc Source 4 LEDLS 50°	1	WINDOW		(703)
	FLY RAIL UNDERMOUNT	Etc Source 4 LEDLS 50°	2	WINDOW		(702)
	FLY RAIL UNDERMOUNT	Etc Source 4 LEDLS 50°	3	WINDOW		(701)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
N/C	3RD ELECTRIC	65Q 6" Fres	1	HOUSE		(1001)
	3RD ELECTRIC	65Q 6" Fres	2	HOUSE		(1001)
	3RD ELECTRIC	65Q 6" Fres	3	HOUSE		(1002)
	3RD ELECTRIC	65Q 6" Fres	4	HOUSE		(1003)
	2ND ELECTRIC	65Q 6" Fres	1	HOUSE		(1001)
	2ND ELECTRIC	65Q 6" Fres	2	HOUSE		(1001)
	2ND ELECTRIC	65Q 6" Fres	4	HOUSE		(1002)
	2ND ELECTRIC	65Q 6" Fres	6	HOUSE		(1003)
	1ST ELECTRIC	65Q 6" Fres	1	HOUSE		(1001)
	1ST ELECTRIC	65Q 6" Fres	2	HOUSE		(1001)
	1ST ELECTRIC	65Q 6" Fres	3	HOUSE		(1002)
	1ST ELECTRIC	65Q 6" Fres	5	HOUSE		(1003)
	APRON PIPE	65Q 6" Fres	1	HOUSE		(1000)
	APRON PIPE	65Q 6" Fres	2	HOUSE		(1000)
	APRON PIPE	65Q 6" Fres	3	HOUSE		(1000)
	APRON PIPE	65Q 6" Fres	4	HOUSE		(1000)
	SR SIDE ELECTRIC	Bare Bulb	7	BULB		(802)
	SR SIDE ELECTRIC	Bare Bulb	17	BULB		(801)
	2ND LANDING BOTTOM PIPE	SL26	5	DOOR		(711)
	PRO PIPE SR	SL50	1	DOOR		(713)
	FLOOR	FAN	1	FAN		(821)
	FLOOR	Fridge	2	FRIDGE		(811)
	SR SIDE STAGE	65Q 6" Fres	1	HOUSE		(1004)
	SL SIDE STAGE	65Q 6" Fres	1	HOUSE		(1005)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R365	2ND LANDING BOTTOM PIPE	Source 4 50°	2	Q		(117)
	2ND LANDING BOTTOM PIPE	Source 4 PARNel	3	R		(118)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R81/R119	FLY RAIL BOOM	SL50	2	HEAD		(611)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R23/R119	FLY RAIL BOOM	SL50	1	SHIN		(601)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R124	FLOOR	Ground Cyc Right	3	RED		(901)
	FLOOR	Ground Cyc Center	6	RED		(901)
	FLOOR	Ground Cyc Right	9	RED		(902)
	FLOOR	Ground Cyc Center	12	RED		(902)
	FLOOR	Ground Cyc Right	15	RED		(903)
	FLOOR	Ground Cyc Center	18	RED		(903)
	FLOOR	Ground Cyc Right	21	RED		(904)
	FLOOR	Ground Cyc Center	24	RED		(904)
	FLOOR	Ground Cyc Right	27	RED		(905)
	FLOOR	Ground Cyc Center	30	RED		(905)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R127	FLOOR	Ground Cyc Center	4	AMBER		(911)
	FLOOR	Ground Cyc Center	7	AMBER		(911)
	FLOOR	Ground Cyc Center	10	AMBER		(912)
	FLOOR	Ground Cyc Center	13	AMBER		(912)
	FLOOR	Ground Cyc Center	16	AMBER		(913)
	FLOOR	Ground Cyc Center	19	AMBER		(913)
	FLOOR	Ground Cyc Center	22	AMBER		(914)
	FLOOR	Ground Cyc Center	25	AMBER		(914)
	FLOOR	Ground Cyc Center	28	AMBER		(915)
	FLOOR	Ground Cyc Center	31	AMBER		(915)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R125	FLOOR	Ground Cyc Center	5	BLUE		(921)
	FLOOR	Ground Cyc Left	8	BLUE		(921)
	FLOOR	Ground Cyc Center	11	BLUE		(922)
	FLOOR	Ground Cyc Left	14	BLUE		(922)
	FLOOR	Ground Cyc Center	17	BLUE		(923)
	FLOOR	Ground Cyc Left	20	BLUE		(923)
	FLOOR	Ground Cyc Center	23	BLUE		(924)
	FLOOR	Ground Cyc Left	26	BLUE		(924)
	FLOOR	Ground Cyc Center	29	BLUE		(925)
	FLOOR	Ground Cyc Left	32	BLUE		(925)

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R378	1ST AUX FOH	Source 4 PARNel	4	S6		(124)
	1ST AUX FOH	Source 4 PARNel	9	S5		(123)
	1ST AUX FOH	Source 4 PARNel	13	S4		(122)
	1ST AUX FOH	Source 4 PARNel	18	S3		(121)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	4	BACK		(208)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	5	BACK		(204)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	9	BACK		(207)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	10	BACK		(203)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	14	BACK		(206)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	15	BACK		(202)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	18	BACK		(205)
	MEZZ RAIL BOTTOM PIPE	65Q 6" Fres	19	BACK		(201)

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R53/R119	3RD ELECTRIC	Source 4 36°	5	R		(18)
	2ND ELECTRIC	Source 4 36°	3	S1		(19)
	2ND ELECTRIC	Source 4 36°	5	S2		(20)
	1ST ELECTRIC	Source 4 26°	4	D		(4)
	SR SIDE ELECTRIC	Source 4 36°	3	O		(15)
	SR SIDE ELECTRIC	Source 4 36°	6	P		(16)
	SR SIDE ELECTRIC	Source 4 36°	9	N		(14)
	SR SIDE ELECTRIC	SL26	12	SPEC		(53)
	SR SIDE ELECTRIC	Source 4 36°	14	M		(13)
	SR SIDE ELECTRIC	Source 4 36°	20	L		(12)
	1ST AUX FOH	Source 4 36°	3	H		(8)
	1ST AUX FOH	SL19	6	SPEC		(52)
	1ST AUX FOH	Source 4 26°	7	K		(11)
	1ST AUX FOH	Source 4 36°	8	G		(7)
	1ST AUX FOH	Source 4 26°	11	J		(10)
	1ST AUX FOH	Source 4 36°	12	F		(6)
	1ST AUX FOH	SL19	14	SPEC		(51)
	1ST AUX FOH	Source 4 36°	15	I		(9)
	1ST AUX FOH	Source 4 26°	16	E		(5)
	1ST AUX FOH	Source 4 36°	17	Q		(17)
	2nd AUX FOH	Source 4 36°	1	S6		(24)
	2nd AUX FOH	Source 4 26°	2	C		(3)
	2nd AUX FOH	Source 4 36°	3	S5		(23)
	2nd AUX FOH	Source 4 26°	4	B		(2)
	2nd AUX FOH	Source 4 36°	5	S4		(22)
	2nd AUX FOH	Source 4 26°	6	A		(1)
	2nd AUX FOH	Source 4 36°	7	S3		(21)
	2nd AUX FOH	Source 4 26°	8	STAIR		(721)

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R365/R119	MEZZ RAIL BOTTOM PIPE	Source 4 50°	1	P		(116)
	MEZZ RAIL BOTTOM PIPE	Source 4 50°	2	O		(115)
	MEZZ RAIL BOTTOM PIPE	Source 4 50°	6	N		(114)
	MEZZ RAIL BOTTOM PIPE	Source 4 50°	11	M		(113)
	MEZZ RAIL BOTTOM PIPE	Source 4 50°	17	L		(112)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R318/R119	1ST ELECTRIC	SL26	7	Z1 FAR		(401)
	1ST ELECTRIC	SL36	8	Z1 NEAR		(402)
	SR SIDE ELECTRIC	SL36	1	Z2 NEAR		(404)
	SR SIDE ELECTRIC	SL36	8	Z2 FAR		(403)
	MEZZ RAIL BOTTOM PIPE	SL36	3	Z3 NEAR		(406)
	MEZZ RAIL BOTTOM PIPE	SL36	8	Z3 FAR		(405)

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R361	PRO PIPE SR	SL50	2	Z1/2 FAR	T1	(501)
	PRO PIPE SR	SL50	3	Z 2/3 FAR	T1	(503)
	PRO PIPE SR	SL36	4	Z1/2 NEAR	T1	(502)
	PRO PIPE SR	SL36	5	Z2/3 NEAR	T1	(504)

Color Schedule

A Streetcar Named Desire

Color	Position	Instrument Type	U	Purpose	Gbo	Chan
 R305	STEEL RACK	Source 4 50°	1	STREET		(751)

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

TABLE OF CONTENTS

T1	1	T2	2
----------	---	----------	---

A Streetcar Named Desire

LD: Ben Golden

ALD: Soxx Lynch

T1

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
PRO PIPE SR	2	SL50	575w	Z1/2 FAR	 R361	(501)
PRO PIPE SR	3	SL50	575w	Z 2/3 FAR	 R361	(503)
PRO PIPE SR	4	SL36	575w	Z1/2 NEAR	 R361	(502)
PRO PIPE SR	5	SL36	575w	Z2/3 NEAR	 R361	(504)

A Streetcar Named Desire

T2

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
3RD ELECTRIC	6	Source 4 50°	575w	L2 WALL	 R119	(731)
1ST ELECTRIC		SeaChanger	180w			(732)
1ST ELECTRIC	6	Source 4 50°	575w	L2 WALL	 R119	(732)